The listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A semiconductor device, comprising:

a laminate structure in which an organic insulating film is formed in close contact with a hydrophobic surface of an inorganic insulating film including silicon and nitrogen a first inorganic insulating film on a semiconductor layer;

a second inorganic insulating film including silicon and nitrogen on the first inorganic insulating film;

an organic insulating film formed in close contact with the second inorganic insulating film;

wherein the first inorganic insulating film and the second insulating film are a nitride; and

wherein the surface of the second inorganic insulating film has a larger contact angle of water than the surface of the first inorganic insulating film.

2. (Currently Amended) A semiconductor device, comprising:

[[an]] a first inorganic insulating film having a hydrophobic surface and including silicon and nitrogen on a semiconductor layer; [[and]]

a second inorganic insulating film including silicon and nitrogen on the first inorganic insulating film;

an organic insulating film formed in close contact with a hydrophobic surface of the <u>second</u> inorganic insulating film;

wherein the first inorganic insulating film and the second insulating film are a nitride;

wherein the surface of the second inorganic insulating film has a larger contact

angle of water than the surface of the first inorganic insulating film; and

wherein hydrogen concentration in the second inorganic insulating film is higher than hydrogen concentration in the first inorganic insulating film.

- 3. (Currently Amended) A semiconductor device, comprising:
- a first inorganic insulating film on a semiconductor layer;
- a second inorganic insulating film having a hydrophobic surface and including silicon and nitrogen on the first inorganic insulating film; [[and]]

an organic insulating film formed in close contact with a hydrophobic surface of the second inorganic insulating film;

wherein the first inorganic insulating film and the second insulating film are a nitride;

wherein the surface of the second inorganic insulating film has a larger contact angle of water than the surface of the first inorganic insulating film;

wherein hydrogen concentration in the second inorganic insulating film is higher than hydrogen concentration in the first inorganic insulating film; and

wherein the first inorganic insulating film and the second insulating film are the same material.

4. (Canceled)

- 5. (Currently Amended) A semiconductor device according to Claim 1, wherein the hydrophobic the second inorganic insulating surface has a contact angle of water of equal to or more than 30°.
- 6. (Currently Amended) A semiconductor device according to Claim 2, wherein the hydrophobic the second inorganic insulating surface has a contact angle of water of equal to or more than 30°.

- 7. (Currently Amended) A semiconductor device according to Claim 3, wherein the hydrophobic the second inorganic insulating surface has a contact angle of water of equal to or more than 30°.
- 8. (Currently Amended) A semiconductor device according to Claim 1, wherein the hydrophobic the second inorganic insulating surface has a contact angle of water of equal to or more than 40°.
- 9. (Currently Amended) A semiconductor device according to Claim 2, wherein the hydrophobic the second inorganic insulating surface has a contact angle of water of equal to or more than 40°.
- 10. (Currently Amended) A semiconductor device according to Claim 3, wherein the hydrophobic the second inorganic insulating surface has a contact angle of water of equal to or more than 40°.
- 11. (Original) A semiconductor device according to Claim 1, wherein the inorganic insulating film or the second inorganic insulating film includes oxygen and the nitrogen of equal to or more than 25 atom%.
- 12. (Original) A semiconductor device according to Claim 2, wherein the inorganic insulating film or the second inorganic insulating film includes oxygen and the nitrogen of equal to or more than 25 atom%.
- 13. (Original) A semiconductor device according to Claim 3, wherein the inorganic insulating film or the second inorganic insulating film includes oxygen and the nitrogen of equal to or more than 25 atom%.

- 14. (Original) A semiconductor device according to Claim 1, wherein the inorganic insulating film or the second inorganic insulating film is a silicon nitride film or a silicon nitride oxide film.
- 15. (Original) A semiconductor device according to Claim 2, wherein the inorganic insulating film or the second inorganic insulating film is a silicon nitride film or a silicon nitride oxide film.
- 16. (Original) A semiconductor device according to Claim 3, wherein the inorganic insulating film or the second inorganic insulating film is a silicon nitride film or a silicon nitride oxide film.
- 17. (Currently Amended) A semiconductor device according to Claim 1, wherein the organic insulating film includes one of or a plurality of organic resin materials selected from acrylic resin, polyamide, or polyimide of photosensitive or nonphotosensitive, for example.
- 18. (Currently Amended) A semiconductor device according to Claim 2, wherein the organic insulating film includes one of or a plurality of organic resin materials selected from acrylic resin, polyamide, or polyimide of photosensitive or nonphotosensitive, for example.
- 19. (Currently Amended) A semiconductor device according to Claim 3, wherein the organic insulating film includes one of or a plurality of organic resin materials selected from acrylic resin, polyamide, or polyimide of photosensitive or nonphotosensitive, for example.

20.-35. (Canceled)